

# MELKWEG

TECHNICAL SPECS 2025/26

## CINEMA



Lijnbaansgracht 234A  
1017 PH **AMSTERDAM**  
[www.melkweg.nl](http://www.melkweg.nl)  
+31 20 531 81 81

### Contents

<u>Contact Details &amp; About Melkweg</u>	<u>1</u>
<u>Capacity</u>	<u>1</u>
<u>Parking &amp; Venue Info</u>	<u>1</u>
<u>Technical Specs</u>	<u>2</u>

## ADDRESS & CONTACT DETAILS

Address Lijnbaansgracht 234A, 1017 PH, Amsterdam  
Phone +31 20 531 81 81  
Email [info@melkweg.nl](mailto:info@melkweg.nl)  
Advancing [productie@melkweg.nl](mailto:productie@melkweg.nl)  
Website [www.melkweg.nl](http://www.melkweg.nl)

## INTERNET

WiFi SSID: Melkweg Event  
WiFi password: AccessGranted  
Wired: 1Gb download  
Wired: 1Gb upload

## ABOUT MELKWEГ

The only surviving factory building within the Amsterdam canal ring, Melkweg is a former sugar factory, turned milk (melk) factory. This historical building houses three concert halls, a cinema, a multidisciplinary room, and an exhibition space. With a reach beyond our venue, Melkweg events can also be found at external locations across the city of Amsterdam

## CINEMA CAPACITY

Seated: 86 / 84 including wheelchair.

## ON ARRIVAL

Melkweg is situated in an old city where canals are common and the streets are narrow and often congested. Proceed with caution!

Access to Melkweg parking on the Lijnbaansgracht may be blocked by a traffic pole. To have this lowered, ask our reception for assistance. Please note that there's another pole located on Raamplein. This pole blocks the road at specific moments, plan your trip to avoid these times:

- Thursday/Friday: 22:00 – 6:00
- Friday/Saturday: 22:00 – 6:00
- Saturday/Sunday: 22:00 – 6:00

## PARKING

All vehicles must be confirmed in advance with the Melkweg Production Department. Parking availability is extremely limited and reserved for touring buses, trucks and vans only, no private cars allowed. If necessary, details of nearby parking garages for car can be provided.

*Please note: parking at this venue is managed by the local government, it is frequently checked. Non-compliance is enforced with fines. Follow the instructions above closely, as Melkweg will not be liable for any potential parking fines*

## HEALTH AND SAFETY

At Melkweg, the safety and well-being of our staff, artists, and guests are our top priority. We kindly request your cooperation in maintaining a healthy environment by using the necessary Personal Protective Equipment (PPE) when necessary.

We uphold a zero-tolerance policy towards harassment at Melkweg. Our commitment is to foster a safe and inclusive environment for our staff, artists, and audience members. Any form of bullying, harassment, or discrimination will not be tolerated under any circumstances.

We take appropriate measures against COVID-19, complying with the latest local rules and regulations, and maintaining our ventilation systems in optimal condition.

We are a smoke free venue.

## MELKWEГ – SPECIFICATIONS: CINEMA - 2025/26

Lijnbaansgracht 234A 1017 PH AMSTERDAM [www.melkweg.nl](http://www.melkweg.nl) +31 20 531 81 81

## **TECHNICAL SPECS**

### **SCREEN**

SAT4K woven screen 6.7m x 2.8m

### **CINEMA PROJECTION**

Digital CHRISTIE CP2306-RG Be  
Lens CHRISTIE LENS 0.69" 1.33-2.10  
Storage DOLBY IMS3000 NB + 4x4TB NAS PKG

Analogue 35mm Philips projector, reel capacity 1800m, take-over  
1000W Xenon, digital sound head, red light analog  
Kodak carrousel 35mm slides

### **PRESENTATION PROJECTION**

Digital Sanyo PLC-XP55

### **CINEMA AUDIO**

Front 2x JBL C221  
Center 1x JBL C221  
Surround 3x JBL 8320, per side  
Rear 2x JBL 8320, per side  
Sub 1x JBL 5628  
Processing DOLBY CP950  
Amps 2x JBL DSI 2.0 SA4-D (front, center, sub)  
1x JBL DSI 2.0 MA4-D (surround, rear)

### **PRESENTATION AUDIO**

Console Soundcraft Ui16  
Mics 1x Shure UR4D  
2x Shure UR2 w/ SM 58 (wireless)  
2x Shure UR1 w/ DPA 4088 (headset)

### **PERFORMANCE AUDIO**

*Additional audio package may incur extra charge. Check with production manager in advance for availability.*

Console position Side of tribune  
Console Soundcraft Si Performer 1  
I/O 16 input / 8 output (Local)  
Stage Rack Vi compact Rack (MADI) 32input /16 output @ 48KHz  
Monitors Mixed from FOH  
Amps 1x Crest CA6  
1x Crest CA4  
PA 2x Martin Audio Wavefront W3  
Wedges 4x Meyer Sound MJF 210-3  
Backline & DJ Gear Separate spec available

### **MAXIMUM SOUND LEVEL**

96 dB(A) Leq 15 min

### **POWER SUPPLY**

16A CEE 3PH (stage right)

## **LIGHTING**

*Fixed bar & fixed lighting – will not be moved.*

6x Par 56 w/ barndoor, 3 per side

2x 500W Fresnel spot, 1 per side